KP PLAST

Red B



◆Product summary

Color Index Generic Name	C.I.Solvent Red 146 C.I.Disperse Red 60
Color Index Constitution Numbers	60756
General Classification	Anthraquinone Dye
Shape	Powder
Appearance	Brownish red
Density	100±2.5 (Relative ratio of absorbance for standard)
Color Difference	< 2.0 (Measurement by photo colorimeter with C/2 Light source)
Moisture	< 1.0%
Melting Point	180 ∼ 187℃
Bulk density	$0.30\sim0.45$ g/cm 3
Acetone-insoluble	< 1.0%
pH (2g / 100ml)	$6.0 \sim 8.0$


◆Solubility of Organic Solvents

Acetone	0.9
Methyl ethyl ketone	1.4
Ethanol	< 0.1
Ethyl acetate	0.9
Toluene	1.1 (g /100ml , 25℃±2℃)

◆Applicable resins

PS	0
AS	0
ABS	0
PMMA	0
PC	0
PA	Δ
PET	0
PBT	Δ

◆ Visible light absorption spectrum



Notice: Please note that depending on your environment, there are some items and colors that can not be accurately displayed nor printed.